

Paracetamol Tablet/Suspension/Syrup/Paediatric Drops

Composition

Reduct® tablet: Each tablet contains Paracetamol BP 500 mg.

Reduct® suspension: Each 5 ml (one teaspoonful) suspension contains Paracetamol BP 120 mg.

 \widehat{Redwet}° Syrup: Each 5 ml (one teaspoonful) suspension contains Paracetamol BP 120 mg.

Reduct® Paediatric Drops : Each ml drop contains Paracetamol BP 80 mg.

Indication

Paracetamol is an analgesic and antipyretic drug used for the temporary relief of headache, fever, minor pain, muscle aches, or the pain of artiiritis. Paracetamol relieves pain in mild arthritis but has no effect on the underlying inflammation, redness and swelling of the joint. It does not cause the stomach irritation often associated with aspirin.

Dosage & administration

Tablet	Adults: 1-2 tablets 3-4 times daily or as directed by the physician. (maximum 4 gm or 8 tablets daily) or as directed of physician.
Syrup and Suspension	0 - 3 months: 10 mg / kg body weight (reduce to 5 mg/kg if jaundiced) 3 to 4 times daily. 3 months to below 1 year: 1/2 to 1 teaspoonful 3 to 4 times daily. 1-5 years: 1 to 2 teaspoonful 3 to 4 times daily. 6-12 years: 2 to 4 teaspoonful 3 to 4 times daily. Adults: 4 to 8 teaspoonful 3 to 4 times daily. or as directed of physician.
Paediatric Drops	Children up to 3 months: 0.5 ml (40 mg) 3 to 4 times daily. 4 to 11 months: 1 ml (80 mg) 3 to 4 times daily. 1 to 2 years: 1.5 ml (120 mg) 3 to 4 times daily. 2 to 3 years: 2 ml (160 mg) 3 to 4 times daily. or as directed of physician.

Side effect

Paracetamol has very mild side effects. But rashes and blood disorder may rarely occur. In case of excessive overdosage liver and kidney damage may occur.

Precaution

Paracetamol should be given with care in patients with impaired liver and kidney function.

Storage

Store $\ddot{\text{i}}_{\text{n}}$ a cool and dry place away from light. Keep out of reach of children.

Commercial pack

Preduct® Tablet: Box containing 25 x 10's tablets in blister pack. **Preduct**® Suspension: Bottle containing 60 ml suspension.

Reduct® Syrup: Bottle containing 60 ml syrup.

Reduct® Paediatric Drops: Bottle containing 15ml paediatric drops.



